

EXHIBIT 8

Trademark/Service Mark Application, Principal Register

Serial Number: 85180324

Filing Date: 11/18/2010

The table below presents the data as entered.

Input Field	Entered
SERIAL NUMBER	85180324
MARK INFORMATION	
*MARK	\\TICRS\EXPORT11\IMAGEOUT11\851\803\85180324.xml1\ APP0002.JPG
SPECIAL FORM	YES
USPTO-GENERATED IMAGE	NO
COLOR MARK	YES
COLOR(S) CLAIMED (If applicable)	The color(s) red and gray is/are claimed as a feature of the mark.
*DESCRIPTION OF THE MARK (and Color Location, if applicable)	The mark consists of a three-dimensional configuration of a unique mechanized poultry feeder which includes a pan structure and a grill structure. The pan structure is red and the grill structure is gray. When viewed from any side, the perimeter of the feeder has a generally octagonal shape as it has two generally vertical sides, defined by portions of both the pan structure and the grill structure, two generally horizontal sides, one defined at the bottom of the pan structure and the other defined at the top of the grill structure, and four generally diagonal sides which interconnect the vertical sides to the horizontal sides. Internal angles between the diagonal sides and the vertical sides are generally smaller than the internal angles between the diagonal sides and the horizontal sides. The matter shown in broken lines is not part of the mark and serves only to show the position or placement of the mark.
PIXEL COUNT ACCEPTABLE	YES
PIXEL COUNT	944 x 944
REGISTER	Principal
APPLICANT INFORMATION	
*OWNER OF MARK	CTB, Inc.
*STREET	611 North Higbee Street
*CITY	Milford
*STATE (Required for U.S. applicants)	Indiana
*COUNTRY	United States
*ZIP/POSTAL CODE (Required for U.S. applicants only)	46542
LEGAL ENTITY INFORMATION	

TYPE	corporation
STATE/COUNTRY OF INCORPORATION	Indiana
GOODS AND/OR SERVICES AND BASIS INFORMATION	
INTERNATIONAL CLASS	007
*IDENTIFICATION	Mechanized poultry feeders
FILING BASIS	SECTION 1(a)
FIRST USE ANYWHERE DATE	At least as early as 12/01/1999
FIRST USE IN COMMERCE DATE	At least as early as 12/01/1999
SPECIMEN FILE NAME(S)	\\TICRS\EXPORT11\IMAGEOUT 11\851\803\85180324\xml1\ APP0003.JPG
	\\TICRS\EXPORT11\IMAGEOUT 11\851\803\85180324\xml1\ APP0004.JPG
SPECIMEN DESCRIPTION	brochure displaying pictures of the feeder and describing the feeder
ADDITIONAL STATEMENTS SECTION	
SECTION 2(f)	The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least the five years immediately before the date of this statement.
ATTORNEY INFORMATION	
NAME	David J. Marr
ATTORNEY DOCKET NUMBER	35002/138054/341
FIRM NAME	Clark Hill PLC
INTERNAL ADDRESS	Suite 2700
STREET	150 North Michigan Avenue
CITY	Chicago
STATE	Illinois
COUNTRY	United States
ZIP/POSTAL CODE	60601
PHONE	312-985-5555
FAX	312-985-5955
EMAIL ADDRESS	mkitz@clarkhill.com
AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes
CORRESPONDENCE INFORMATION	
NAME	David J. Marr
FIRM NAME	Clark Hill PLC
INTERNAL ADDRESS	Suite 2700
STREET	150 North Michigan Avenue
CITY	Chicago
STATE	Illinois

COUNTRY	United States
ZIP/POSTAL CODE	60601
PHONE	312-985-5555
FAX	312-985-5955
EMAIL ADDRESS	mkitz@clarkhill.com
AUTHORIZED TO COMMUNICATE VIA EMAIL	Yes
FEE INFORMATION	
NUMBER OF CLASSES	1
FEE PER CLASS	325
*TOTAL FEE DUE	325
*TOTAL FEE PAID	325
SIGNATURE INFORMATION	
SIGNATURE	/David J. Marr/
SIGNATORY'S NAME	David J. Marr
SIGNATORY'S POSITION	Attorney of record
DATE SIGNED	11/18/2010

Trademark/Service Mark Application, Principal Register

Serial Number: 85180324

Filing Date: 11/18/2010

To the Commissioner for Trademarks:

MARK: (Stylized and/or Design, see [mark](#))

The color(s) red and gray is/are claimed as a feature of the mark. The mark consists of a three-dimensional configuration of a unique mechanized poultry feeder which includes a pan structure and a grill structure. The pan structure is red and the grill structure is gray. When viewed from any side, the perimeter of the feeder has a generally octagonal shape as it has two generally vertical sides, defined by portions of both the pan structure and the grill structure, two generally horizontal sides, one defined at the bottom of the pan structure and the other defined at the top of the grill structure, and four generally diagonal sides which interconnect the vertical sides to the horizontal sides. Internal angles between the diagonal sides and the vertical sides are generally smaller than the internal angles between the diagonal sides and the horizontal sides. The matter shown in broken lines is not part of the mark and serves only to show the position or placement of the mark.

The applicant, CTB, Inc., a corporation of Indiana, having an address of

611 North Higbee Street
Milford, Indiana 46542
United States

requests registration of the trademark/service mark identified above in the United States Patent and Trademark Office on the Principal Register established by the Act of July 5, 1946 (15 U.S.C. Section 1051 et seq.), as amended, for the following:

International Class 007: Mechanized poultry feeders

In International Class 007, the mark was first used at least as early as 12/01/1999, and first used in commerce at least as early as 12/01/1999, and is now in use in such commerce. The applicant is submitting one specimen(s) showing the mark as used in commerce on or in connection with any item in the class of listed goods and/or services, consisting of a(n) brochure displaying pictures of the feeder and describing the feeder.

[Specimen File1](#)

[Specimen File2](#)

The mark has become distinctive of the goods/services through the applicant's substantially exclusive and continuous use in commerce for at least the five years immediately before the date of this statement.

The applicant's current Attorney Information:

David J. Marr of Clark Hill PLC

Suite 2700
150 North Michigan Avenue
Chicago, Illinois 60601
United States

The attorney docket/reference number is 35002/138054/341.

The applicant's current Correspondence Information:

David J. Marr
Clark Hill PLC
Suite 2700
150 North Michigan Avenue
Chicago, Illinois 60601
312-985-5555(phone)
312-985-5955(fax)
mkitz@clarkhill.com (authorized)

A fee payment in the amount of \$325 has been submitted with the application, representing payment for 1 class(es).

Declaration

The undersigned, being hereby warned that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. Section 1001, and that such willful false statements, and the like, may jeopardize the validity of the application or any resulting registration, declares that he/she is properly authorized to execute this application on behalf of the applicant; he/she believes the applicant to be the owner of the trademark/service mark sought to be registered, or, if the application is being filed under 15 U.S.C. Section 1051(b), he/she believes applicant to be entitled to use such mark in commerce; to the best of his/her knowledge and belief no other person, firm, corporation, or association has the right to use the mark in commerce, either in the identical form thereof or in such near resemblance thereto as to be likely, when used on or in connection with the goods/services of such other person, to cause confusion, or to cause mistake, or to deceive; and that all statements made of his/her own knowledge are true; and that all statements made on information and belief are believed to be true.

Signature: /David J. Marr/ Date Signed: 11/18/2010

Signatory's Name: David J. Marr

Signatory's Position: Attorney of record

RAM Sale Number: 4037

RAM Accounting Date: 11/19/2010


Serial Number: 85180324

Internet Transmission Date: Thu Nov 18 17:22:23 EST 2010

TEAS Stamp: USPTO/BAS-XXX.XXX.XXX.XX-201011181722230

12944-85180324-470adea2ea5ba7dd8ce9553ad

a1ddf73868-CC-4037-20101118165809367412



MODEL C2® PLUS Broiler Feeders

The Broiler Feeder That Promotes Better Feed Conversion



Let's grow together.

Gets Birds Off to a Good Start from Day One

- **Chick-friendly** 14-spoke grill design lets birds exit pans easily.
- **Shallow pan option** reduces the need for feed trays and extra labor when starting birds.
- **Optional feed windows** fill pans high with feed to attract chicks.
- **All-plastic construction** with ultraviolet protection and reinforced eating and cone wear areas.
- **Extended fin model** helps ensure feed delivery by improving feed flow for harder flowing feed.



Pan hangs for cleaning.



Easy-To-Read Feed Level Settings

- Easy to adjust for flooding or a lower feed level as birds grow.
- Optional slide shut-off also available.



Find your
certified
TRUE RED®
distributor
in our
on-line
distributor
finder to
get more
information.










Chore-Time's MODEL C2® PLUS Broiler Feeding System gets birds off to a good start, minimizes wasted feed, and provides birds with consistent access to fresh feed.

Keeps Birds Growing with Top Feed Conversion

- Feed-saving features include Chore-Time's "V"-shaped pan bottom design, double pan lip and anti-rake fins.
- Extended fin model features ½-inch (13-mm) longer anti-rake fins to keep the cone off the bottom of the pan – permits more feed in pan when windows are closed with pan on the floor.
- Designed for management simplicity.



MODEL C2® PLUS Feeder Specifications

				
	Model C2 Plus SHL Shallow Pan	Model C2 Plus STD Standard Pan	Model C2 Plus EXT Extended Fin	
Pan Shape				
Pan Depth	2-9/16" (65 mm)	3-1/8" (79.3 mm)	3-1/8" (79.3 mm)	
Window Options	Window or Non-Window			Window Only
Extended Fins	No			Yes
Advantages of This Model	Shorter pan height results in easier access for chicks and small birds.	Proven, reliable performance from the feeder that has grown to be the industry standard.		Fixed feed height at bottom helps maintain feed flow at all times regardless of pan height or litter level; more interior space improves flow for harder flowing feed.

Other Feeder Features

- 1/3 or 1/2 HP 348 RPM power unit.
- 230 volt 50/60 Hz 1 or 3 phase power.
- Removable top option and slide shut-off available for all models.

Chore-Time's
MODEL C2® PLUS
Feeder is shown
with removable
top option.



Let's grow together.

Feeding | Watering | Controls | Ventilation | Heating | Nests | Feed Storage


Find your certified TRUE RED® distributor in our on-line distributor finder.

www.choretimepoultry.com

Chore-Time Poultry Production Systems
Chore-Time Brock International
Divisions of CTB, Inc.

Phone: 574.658.4101 or +1.574.658.9323 (International)
E-mail: poultry@choretime.com or world@ctbworld.com

CT-2430/0509



MODEL C2® PLUS Broiler Feeders

The Broiler Feeder That Promotes Better Feed Conversion



Let's grow together.

Gets Birds Off to a Good Start from Day One

- **Chick-friendly** 14-spoke grill design lets birds exit pans easily.
- **Shallow pan option** reduces the need for feed trays and extra labor when starting birds.
- **Optional feed windows** fill pans high with feed to attract chicks.
- **All-plastic construction** with ultraviolet protection and reinforced eating and cone wear areas.
- **Extended fin model** helps ensure feed delivery by improving feed flow for harder flowing feed.



Pan hangs for cleaning.



Easy-To-Read Feed Level Settings

- Easy to adjust for flooding or a lower feed level as birds grow.
- Optional slide shut-off also available.



Find your
certified
TRUE RED®
distributor
in our
on-line
distributor
finder to
get more
information.










Chore-Time's MODEL C2® PLUS Broiler Feeding System gets birds off to a good start, minimizes wasted feed, and provides birds with consistent access to fresh feed.

Keeps Birds Growing with Top Feed Conversion

- Feed-saving features include Chore-Time's "V"-shaped pan bottom design, double pan lip and anti-rake fins.
- Extended fin model features ½-inch (13-mm) longer anti-rake fins to keep the cone off the bottom of the pan – permits more feed in pan when windows are closed with pan on the floor.
- Designed for management simplicity.



MODEL C2® PLUS Feeder Specifications

			
	Model C2 Plus SHL Shallow Pan	Model C2 Plus STD Standard Pan	Model C2 Plus EXT Extended Fin
Pan Shape			
Pan Depth	2-9/16" (65 mm)	3-1/8" (79.3 mm)	3-1/8" (79.3 mm)
Window Options	Window or Non-Window		Window Only
Extended Fins	No		Yes
Advantages of This Model	Shorter pan height results in easier access for chicks and small birds.	Proven, reliable performance from the feeder that has grown to be the industry standard.	Fixed feed height at bottom helps maintain feed flow at all times regardless of pan height or litter level; more interior space improves flow for harder flowing feed.

Other Feeder Features

- 1/3 or 1/2 HP 348 RPM power unit.
- 230 volt 50/60 Hz 1 or 3 phase power.
- Removable top option and slide shut-off available for all models.

Chore-Time's
MODEL C2® PLUS
Feeder is shown
with removable
top option.



Let's grow together.

Feeding | Watering | Controls | Ventilation | Heating | Nests | Feed Storage

Find your certified TRUE RED® distributor in our on-line distributor finder.

www.choretimepoultry.com

Chore-Time Poultry Production Systems
Chore-Time Brock International
Divisions of CTB, Inc.
Phone: 574.658.4101 or +1.574.658.9323 (International)
E-mail: poultry@choretime.com or world@ctbworld.com

CT-2430/0509